




Building Science Must Consider Site Orientation Water Efficiency Energy Efficiency Indoor Air Quality Materials that last and are environmentally friendly Operations and Maintenance – Financial benefits



Site Orientation

- Build to the orientation
- Take advantage of site assets
- Solar access for daylighting
- Minimize site weaknesses
- Keep water runoff on site
- Landscape minimizing water needs



Alaska Housing Finance Corp.

© 2017 Sandra K. Adomatis, SRA, LEED Green Assoc.

25

Water Efficiency

• Low Flow Show Heads-

Faucets-toilets


• Recycle greywater





Alaska Housing Finance Corp.


© 2017 Sandra K. Adomatis, SRA, LEED Green Assoc.


26







































- Comfortable No hot or cold rooms
- Good Indoor Air Quality
- Good Lighting Natural light



Alaska Housing Finance Corp.


© 2017 Sandra K. Adomatis, SRA, LEED Green Assoc.


41





Air Sealing – Improved Heating **Systems Primary Secondary Expanded** Housing Housing Health **Effect** Measure **Effect Outcomes** Air Sealing Heating provided • Comfortable • Reduced deaths Improved to whole dwelling indoor due to cold temperatures **Heating System** Cleaner burning • Reduced Improved heating system • Reduced gases symptoms of and particles respiratory **Cooking Systems** disease • Increased • Reduced stress useable living space and infectious Source: Home Rx: The Health Benefits of Home Performance - Dec. 2016 by Dept. of Energy disease © 2017 Sandra K. Adomatis, SRA, LEED Green Alaska Housing Finance Corp. Assoc

Improved Ventilation				
Measure	Primary Housing Effect	Secondary Housing Effect	Expanded Health Outcomes	
Improved Ventilation	Combustion by- products properly vented to outdoors Increased air flow within dwelling	 Reduced gases and particulates Reduced gases and particulates Reduced dampness Reduced mold 	 Reduced symptoms of respiratory disease Reduced risk of cancer Reduced symptoms of cardiovascular disease Reduced arthritis Reduced depression 	









































































Appraisers Must Explain Inputs • Savings Amount – Based on subject estimated energy bill compared to comparable energy bills as established by Ratings found on Energy Efficiency Calculator • Term discounted – typical homeownership period • Discount Rate – (Safe Rate + Risk Factor) • Safe Rate – Mortgage Interest Rate • Risk Rate – How sure are you of saving amount?



Energy Efficiency Adjustment Support				
Income Approach	Present Value	\$18,000		
Added Cost		\$25,000		
Paired-data		\$10,000		
Reconcile the three indications by discussing				

Reconcile the three indications by discussing the strengths and weaknesses of each method.

Alaska Housing Finance Corp.

© 2017 Sandra K. Adomatis, SRA, LEED Green Assoc.

73

Appraisers Do Not Determine Value



MLS must provide accurately populated searchable fields for green features.

KEY Data Sources Must Provide Energy Efficiency Facts:

If energy efficient home data does not reflect higher sales prices than non energy efficient homes, the appraised value will not reflect higher values.

Alaska Housing Finance Corp.

© 2017 Sandra K. Adomatis, SRA, LEED Green Assoc.

74

