

# Heat Pumps and DC Technology:

Revolutions in Efficiency and Performance


**BROUGHT TO YOU BY:** 




### What do we use electricity for?



- ▶ Lighting
- ▶ Entertainment
- ▶ Cooking
- ▶ Ventilation
- Water heating
- ▶ Heating
- ▶ Cooling













### Some basics

Words, principles, practices, and processes

### Energy and Power



- Energy Kilowatt-hours (kWh)
  - ▶ Utility bills indicate a rate
    - ▶ Cents per kilowatt-hour
      - ▶ In Alaska \$0.07 \$0.80 per kWh

- ▶ Power Watts (W) or Kilowatts (kW)
  - The rate an appliances uses energy
    - ▶ Snazzy new Panasonic fan = 5 Watts @ 80cfm
    - ▶ Blow dryer = 1300 Watts

### Units – Example



▶ If you run your 5 Watt (power) Panasonic fan for 1 hour, you would use 5 Watt-hours of electricity (energy)

▶ 5 Watt-hours = 0.005 kiloWatt-hours


- ▶ @ \$0.20/kWh
  - $\triangleright$  0.005 X \$0.20 = \$0.001 or 1/10<sup>th</sup> of a penny

Ventilating is cheap

### Schematic – Power to House




Generation to transformer to house meter to house panel



### Power Company to Appliance




Drop to 120V at panel to deliver to most appliances




### Schematic and Panel Diagrams






Schematic and real life views of electrical panel



### Alternating Current





1 cycle of household current – 60 cycle/second = 60 Hertz

#### What about DC?



- Many appliances operate on DC
  - ▶ Fans bath fan, HRV
  - ▶ Pumps
  - ▶ Compressors
  - ▶ Lighting
- We are just dishonest about it (Lipstick on the collar)
  - ▶ AC converted to DC at appliance

### Why DC?




- ► Higher Efficiency
  - ▶ Less power requirements for outputs

- ▶ Finer Control
  - ▶ Modulation
    - ▶ Not just "On" and "Off"

▶ More Reliable


### Direct Current





### Direct Current





This can sometimes be "lumpy" or "dirty" after being converted from AC – many appliances don't care

### How does stuff run?



Appliance	Good old days	Good new days
Lights	AC	AC/DC
Ventilation Fans	AC	AC/DC >>> DC
Blowers/Pumps (Distribution)	AC	AC/DC >>> DC
Electric Heat	AC	AC/DC (?)

Some appliances are "both" AC/DC – more later



# New electrical efficiencies make for many possibilities

But first, a few reminders...

### Electrical Efficiency/Performance




- Electronic commutation (ECMs)
- ▶ Brushless motors
- Pulsed wave modulation (PWM)
- ▶ LEDs lighting and entertainment
- "Inverter technology"

- These, and others, have revolutionized home efficiency directly and indirectly
- Allow decentralized systems

### Fan motors have changed




- ▶ Both Indoor and Outdoor fans use
  - ▶ Electronically commutated Motors (ECMs)
    - ▶ More operability choices
    - ▶ DC
    - Quieter
    - ▶ Ball bearing durability
    - ► High efficiency (65-75%) across speeds
    - ► Varied start-up speeds = low stress
  - ▶ Old style Permanent Split Capacitor motors (PSC) are getting rare
    - ► Single, full speed; low efficiency (narrow efficiency range)



### Commutators?





Convert AC to DC

Traditionally a moving piece that we connect in a circuit – less durable

Now, we commutate electronically – efficient, variable, durable

Commutator


### An Example – Double whammy of efficiency, control, and comfort – Air Source Heat Pump



Outdoor unit has "DC" compressor
Variable speed
Efficient across speeds
Fine Control




Also control expansion valve



Indoor unit has DC fan motor
Variable speed
Efficient across speeds
Fine Control

### More comfort





Inverter compressors are variable speed.

- more efficient
- less stopping/starting
- consistent heating/cooling


Modulating control versus start/stop and negative feedback strategies

#### Pulse Width Modulation



- Controls amplitude of output via rapid switching on/off
- Duration of pulse = intensity/amplitude
- ▶ Efficient Why?
  - ▶ Power loss = voltage drop X current in the switch
    - ▶ Switch off, no current
    - Switch on, power is transferred directly to load very little voltage drop across switch
      - ► Each scenario = very little power loss


### The longer the pulse, the higher the intensity (\*)



Compare these


#### PWM in LEDs

- ▶ Dimming LEDs 2 ways
  - ▶ 1) Analog adjust DC current
    - ▶ Changes light color
    - ▶ Poor dimming accuracy
  - ▶ 2) PWM vary duty cycle (PWM) of constant current
    - ▶ Changes average current
    - ► Maintains light color
    - ▶ Dimming accuracy
- ▶ PWM also used to make different colors






### The longer the pulse, the higher the intensity #



### Goodbye rheostat





Hot and inefficient

### How do appliances run on DC?



- Depends...
- ► AC > DC at/near appliance
  - Ex. New generation ventilation fans
    - ▶ Connected to AC
    - ▶ Appliance "sees" DC due to conversion
      - DC signal modified to control appliance
- ▶ Sometimes...
  - ▶ DC signal modified, converted back to AC, then to appliance
    - ▶ Is it AC or DC?




# What about these Heat Pumps?





### Heat pumps: What are they?



A devices that move heat energy from a SOURCE\* of heat to a SINK".

Absorb heat from a cold space and release it to a warmer one - Yup, weird

Use external power to do this.

\* Source can be air, water, ground

### Reasons to use them



```
Efficiency (?)
Performance (?)
Cost (?)
Installation (?)
Operation (?)
```

Few penetrations

Especially up high

Tighter structures

No combustion appliances

No excessive negative pressure consequences

### What can they do?




Space Heating

Domestic water heating

Space cooling

# How heat pumps work

Its just magic, really






Just add electricity


## The parts - an air source heat pump or DHP



Both fans have ECMs in modern, efficient heat pumps



Copper refrig. lines connect outdoor unit with indoor unit



### Different heads











### Heat pump sizes




- ▶ For the common air source heat pumps
  - ▶9,000btu (3/4-ton) and 12,000btu (1-ton)

- ▶ This is typically cooling capacity
  - ▶ Heating capacity ~ 20% greater (see pic)

# Size (heating)

The Unit








The Specs




#### Better Shells





# Heat pumps: Why now?







Fujitsu Mitsubishi Daikin Panasonic

Better Technology and Higher Performance




# More reasons heat pumps are getting famous


Technology, comfort, efficiency

(Every part of the system has improved performance/efficiency)


#### Not the same old Compressors



#### Scroll



#### Rotary




THEN

NOW

#### Twin Rotor DC Compressor







Digitally Commutated Compressor

- Compressor starts at a minimum frequency of 23% of maximum capacity
- >Variable speed, based on demand level and ambient conditions
- ➤ Soft start operation (< 1 amp on startup)
- >Three phase, nearly equal ohm windings
- >Etc...




#### Inverter Technology



- Allows speed control of compressor
  - Changes flow of refrigerant
  - ► Can modulate between ~ 12 100%
- Strategies differ between manufacturers
- ▶ AC into unit
  - ▶ Rectified to DC
    - ► Pulse width modulation (PWM)\* makes AC of differing frequency
    - Allows variable speed control of compressor
- ► Cool, huh?




### Inverter Technology



# Mitsubishi says...





Everything is shifting left.....rapidly....

#### Some Mitsubishi Numbers and Letters



Indoor Unit:

Blower Motor (ECM)

F.L.A.

#### Outdoor Unit:

The state of the s						
	Model (Type)		DC INVERTER-driven Twin Rotary			
Compressor	R.L.A.	R.L.A. L.R.A.		8.2		12.0
	L.R.A.			10.3		15.0
Heating at 47° F *2	Rated Capacity	Btu/h		10,900	13,600	18,000
	Capacity Range	Btu/h		1,600 - 18,000	3,700 - 21,000	5,150 - 24,000
	Rated Total Input	W		710	950	1,300
	HSPF (IV)	Btu/h/W		13.5	12.5	12.0
Heating at 17° F *3	Rated Capacity	Btu/h		6,700	8,000	11,000
	Rated Total Input	W		600	720	1,020
	Maximum Capacity	Btu/h		12,200	13,600	18,000
Heating at 5° F	Maximum Capacity	Btu/h		10,900	13,600	18,000




# A heat pump isn't a forced air furnace

Don't treat it or use it like one

Perform best when you set it and leave it

#### More comfort






Inverter compressors are variable speed.

- most efficient
- less stopping/starting
- consistent heating/cooling

CANCS

Further performance improvements

Electronic expansion valve allows precise refrigerant control



#### Speaking of expansion valves



Refrigerants have changed

Mostly from R-22 to R-410A

▶ R-410A is more environmentally friendly – no chlorine

Other proprietary concoctions





# Can also provide distribution (HRV)

An option for heat pumps

Satisfy picky code officials?



#### Additional Factors



- Many coastal AK communities have
  - mild temperatures
  - Renewable electricity generation (hydro/wind)
  - cheap electricity (\$0.08 \$0.14/kWh)
- Easy and cheap installation
  - Unit + Installation + Commissioning = Less than \$6000.00
- Performance is improving rapidly
  - Strong performance down to -15F



# 200 - 400% Efficiency (sometime less)

and I'm not blowing hot air!!

#### 200% - 400% Efficiency?



- Coefficient of Performance (COP)
  - ratio of energy output to energy input (usually 1 5)

Energy Output (Watt-hours)

Need to use same units, of course 1 Watt-hour = 3.4 Btu

Energy Input (Watt-hours)


#### COP




- ▶ COP = 2
  - 2 units of energy out for each unit of energy (electricity) you put in
    - same as 200% efficiency

- $\triangleright$  COP = 1
  - Same as resistance heat or toaster (not including toast)

#### COP and Temperature





The Point:
The greater the temperature difference, the lower efficiency

#### Heating Season Performance Factor



- ► HSPF
- Somewhat analogous to AFUE kinda sorta
- Overall heating efficiency over a heating season (Btu/kWh)
  - ► Usually ~8-14

Only in America

#### A couple others



- ▶ SEER
  - Seasonal Energy Efficiency Ratio (minimum 13 in U.S.)
    - Cooling efficiency
      - Cooling output/electrical energy input
      - ▶ Btu/hr/watts
- ▶ EER
  - Energy Efficiency Ratio
    - Cooling efficiency point in time
      - ► (Btu/hr)/watts

#### So, do these really work?




# Some Data from North Douglas, Wrangell, and Juneau

#### Some Numbers

6 Star






#### **Home Details**

Built 1989, N. Douglas 1400 ft2; 13,000 ft3 ACH<sub>50</sub> = 0.36








DHP
Douglas, AK
~8500 HDD

At \$0.13/kWh

~\$360 in 10 months


#### Another example (Helena, Mt - 8100HDD)





### Wrangell Ductless Heatpump COP





CANCS

### Wrangell DHP - 21 Degrees F


Airflow (cfm)


Delivered <u> </u> temperature (F)

Output (Watts)

Input (Watts

Efficiency (%)





#### Wrangell DHP - 49 Degrees F


Airflow (cfm)

Delivered **–** temperature (F)

Output (Watts)

Input (Watts)

Efficiency (%)



#### Juneau - Hot Water and Space Heating




Air to Water System




# Juneau - Space heating COP






### Juneau - Space heating & DHW COP





# Considerations for installing a ductless heat pump




- Shell performance
- Thermal environment
- Electrical rates
- Electrical supply
- Condensate drains?
- Expectations

- Heating vs. Cooling
- Sizing
- Installation Cost
- Operating Cost
- Maintenance
- Lifespan

# Why so Efficient?

Heat pumps expend energy moving heat, not "creating" heat

"Energy Concentrators"





Just add electricity

### Ice happens - plan accordingly






Still heating for \$1.70/day

# Heating


Dumps heat into interior





#### Cooling/Defrosting

Pulls heat from interior





#### Placement is critical





Glaciers happen